

































- IS 383 (1997), Specification for Coarse and Fine Aggregates from Natural Sources for Concrete, Bureau of Indian Standards, New Delhi, India.
- IS 4031 (Part 6) (1988), Methods of physical tests for hydraulic cement, Determination of compressive strength of hydraulic cement (other than masonry cement), Bureau of Indian Standards, New Delhi, India.
- IS 5816 (1999), Methods of Tests for Split Tensile Strength of Concrete Cylinders, Bureau of Indian Standards, New Delhi.
- IS 9103 (2004), Concrete Admixtures – Specification, Bureau of Indian Standards, New Delhi, India.
- Kuhl, H. (1908), “Slag Cement and Process of Making the Same”, 900,939.
- Nabila, S., Mohamed, O.A., Enas, T.S., Mohammad, A.A. and Olabid, A.G. (2022), “Geopolymer concrete as green building materials: Recent applications, sustainable development and circular economy potentials”, *Sci. Total Environ.*, **836**, 155577. <https://doi.org/10.1016/j.scitotenv.2022.155577>
- Naghizadeh, A. and Ekolu, S.O. (2019), “Method for comprehensive mix design of fly ash geopolymer mortars”, *Constr. Build. Mater.*, **202**, 704-717. <https://doi.org/10.1016/j.conbuildmat.2018.12.185>
- Okamura, H. and Ouchi, M. (2003), “Self compacting concrete”, *J. Adv. Concrete Technol.*, **1**(1), 5-15. <http://dx.doi.org/10.3151/jact.1.5>
- Ouellet-Plamondon, C. and Habert, G. (2015), “Life cycle assessment (LCA) of alkali-activated cements and concretes”, *Handbook of Alkali-Activated Cements, Mortars and Concretes*, 663-686. <https://doi.org/10.1533/9781782422884.5.663>
- Palomo, A., Krivenko, P., Garcia-Lodeiro, I., Kavalerova, E., Maltseva, O. and Fernández-Jiménez, A. (2014), “A review on alkaline activation: new analytical perspectives”, *Mater. Construcc.*, **64**, 315. <http://dx.doi.org/10.3989/mc.2014.00314>
- Palomo, A., Maltseva, O., Garcia-Lodeiro, I. and Fernández-Jiménez, A. (2021), “Portland Versus Alkaline Cement: Continuity or Clean Break: A Key Decision for Global Sustainability”, *Frontiers in Chemistry*, **9**, 705475. <https://doi.org/10.3389/fchem.2021.705475>
- Parthiban, N. and Neelamegam, M. (2017), “Flexural behavior of reinforced concrete beam with hollow core in shear section”, *Int. Res. J. Eng. Technol. (IRJET)*, **4**(4). <https://www.irjet.net/archives/V4/i4/IRJET-V4I4573.pdf>
- Pierrehumbert, R. (2019), “There is no Plan B for dealing with the climate crisis”, *Bull. Atomic Scient.*, **75**(5), 215-221. <https://doi.org/10.1080/00963402.2019.1654255>
- Peng, Z., Kexun, W., Juan, W., Jinjun, G., Shaowei, H. and Yifeng, L. (2020), “Mechanical properties and prediction of fracture parameters of geopolymer/alkali-activated mortar modified with PVA fiber and nano-SiO<sub>2</sub>”, *Ceram. Int.*, **46**(12), 20027-20037. <https://doi.org/10.1016/j.ceramint.2020.05.074>
- Perry, R.H. (1997), Perry’s Handbook for Chemical Engineers, McGraw – Hill, USA.
- Portland Cement Association (PCA) Report (2019), Washington.
- Provis, J.L. (2014), “Geopolymers and other alkali activated materials: why, how, and what?”, *Mater. Struct.*, **47**, 11-25. <https://doi.org/10.1617/s11527-013-0211-5>
- Provis, J.L. and Van Deventer, J.S.L. (2009), “Geopolymers-Structure, processing, properties and industrial applications”, Woodhead publishing limited, Cambridge, UK. [www.woodheadpublishing.com](http://www.woodheadpublishing.com)
- Purdon, A. (1940), “The action of alkalis on blast-furnace slag”, *J. Soc. Chem. Ind.*, **59**, 191-202.
- Robbie, M.A. (2018), “Global CO<sub>2</sub> emissions from cement production”, *Earth Syst. Sci. Data*, **10**, 195-217. <https://doi.org/10.5194/essd-10-195-2018>
- Sakkarai, D. and Soundarapandian, N. (2021), “Strength behavior of flat and folded fly ash-based geopolymer ferrocement panels under flexure and impact”, *Adv. Civil Eng.*, **2021**(2311518). <https://doi.org/10.1155/2021/2311518>
- Shannag, M.J. and Mourad, S.M. (2012), “Flowable high strength cementitious matrices for ferrocement applications”, *Constr. Build. Mater.*, **36**, 933-939. <https://doi.org/10.1016/j.conbuildmat.2012.06.051>
- Temuujin, J., Riessen, A.V. and Mackenzie, K.J.D. (2010), “Preparation and characterisation of fly ash based geopolymer mortars”, *Constr. Build. Mater.*, **24**, 1906-1910. <https://doi.org/10.1016/j.conbuildmat.2010.04.012>
- Tran, D.H., Kroisova, D., Louda, P., Bortnovsky, O. and Bezucha, P. (2009), “Effect of curing temperature on flexural properties of silica-based geopolymer-carbon reinforced composite”, *J. Achieve. Mater. Manuf. Eng.*, **37**(2), 492-497. [http://jamme.acmsse.h2.pl/papers\\_vol37\\_2/37238.pdf](http://jamme.acmsse.h2.pl/papers_vol37_2/37238.pdf)
- Xie, J. and Kayali, O. (2016), “Effect of superplasticiser on workability enhancement of Class F and Class C fly ash-based geopolymers”, *Constr. Build. Mater.*, **122**, 36-42. <https://doi.org/10.1016/j.conbuildmat.2016.06.067>

JKK